Implementation of the NRL Coupled Ocean Data Assimilation (NCODA) system in HYCOM

O. M. Smedstad
Planning Systems Inc.

J. A. Cummings, H. E. Hurlburt and A. J. Wallcraft
Naval Research Laboratory

W. C. Thacker, H. Kang NOAA

E. P. Chassignet
University of Miami

http://hycom.rsmas.miami.edu

HYCOM NOPP GODAE Meeting 6-8 December 2005 RSMAS

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding and DMB control number.	tion of information. Send comment larters Services, Directorate for Info	s regarding this burden estimate or or street	or any other aspect of the property of the contract of the con	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE DEC 2005	2. REPORT TYPE		3. DATES COVERED 00-00-2005 to 00-00-2005		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Implementation of the NRL Coupled Ocean Data Assimilation (NCODA) system in HYCOM				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, Stennis Space Center, MS, 39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distribut	ion unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	25	

Report Documentation Page

Form Approved OMB No. 0704-0188


Present system

- 1/12º Atlantic (28ºS to 70ºN)
- Running in near real-time (on Wednesday)
 - . Assimilates the satellite altimeter analysis from the MODAS operational system at the Naval Oceanography Office (NAVOCEANO)
 - . Mean SSH from the 1/12° MICOM (ECMWF)
 - . Vertical projection via the Cooper and Haines technique (1996, JGR)
 - . FNMOC/NOGAPS atmospheric forcing
 - . Relaxation to the MODAS SST analysis
- 10 day hindcast, 14 day forecast
- Automated scripts run the system from the preprocessing of the forcing fields to the post processing of the results
- Participating in the MERSEA model inter-comparison

http://hycom.rsmas.miami.edu


1/12° Atlantic HYCOM SSH in Gulf Stream region, 23 November, 2005

1/12° HYCOM SSH nowcast (9.1) 20051128




White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.


1/12° Atlantic HYCOM SSH in Gulf of Mexico region (SEED)



Transport sections



Florida Current transport at 27°N



Cable data: http://www.aoml.noaa.gov/phod/floridacurrent/

GULF OF MEXICO MODEL CONFIGURATION

- Horizontal grid: 1/12° (258 x 175 grid points, 6.5 km spacing on average)
- 18°N to 31°N
- 20 vertical coordinates
- Bathymetry: 5m coastline
- Surface forcing from FNMOC/NOGAPS
- Monthly river runoff
- Nested Boundary:
 relaxation to the 1/12° Atlantic HYCOM T, S, U
 and V along open boundary, (no assimilation
 in these experiments)


HYCOM/NCODA coupling

- HYCOM to 3D z-grid
- NCODA analysis
- Use the NCODA analysis of T, S to create a new restart file. Let hybgen move the interfaces

or


- Use the NCODA analysis of T, S and layer pressure to create a new restart file.
- A new analysis every day in these experiments

Sections in the Gulf of Mexico




25.08°N

T and ρ section along 25.08°N, 31 August 1999




T and ρ section along 25.08°N, 31 August 1999

T and S updating, new hybgen




T, S and dp updating




SSH, 31 August 1999






T, S and dp updating




T and S section along 25.08°N, 31 August 1999








BT positions October 1999




BT comparison October 1999












Mean Temperature Layer 1



Mean Temperature Layer 1



1/12° PACIFIC HYCOM Mean SSH 1994 – 2003





1/12° PACIFIC HYCOM

Mean SSH 1994 - 2003

ORIGINAL

RUBBER SHEETED






Future

- NCODA in 1/12° Pacific HYCOM
- NCODA in 1/12° Atlantic HYCOM
- 1/12° Global HYCOM assimilation


http://hycom.rsmas.miami.edu

T and S section along 25.08°N, 31 August 1999






T and S section along 25.08°N, 31 August 1999




NRL Coupled Ocean Data Assimilation (NCODA)



MVOI - simultaneous analysis 5 ocean variables temperature, salinity, geopotential, velocity (u,v)

T and ρ section along 25.08°N, 31 August 1999



T and ρ section along 25.08°N, 31 August 1999

